





BEAM CLAMPS								
CATALOG NUMBER	A		CHANNEL HT.		WEIGHT PER 100		REC. LOAD	
	in	mm	in	mm	lbs	kg	lbs	kN
N-1702	3-1/2	88.9	1-5/8	41.3	108	49.0	480	2.15
N-1703	3-1/4	82.5	1-3/8	34.9	100	45.4	480	2.15
N-1705	2-11/16	68.3	13/16	20.6	98	44.4	480	2.15

Recommended Load 480 Lbs. (2.15 kN) when used in pairs.
1/2" x 1-1/2" (12.7 x 38.1) Set screw included.



i U" BOLT BEAM CLAMPS					
CATALOG NUMBER	CHANNEL	LENGTH OF iU" BOLT		WEIGHT PER 100	
		in	mm	lbs	kg
N-1708	N-200A	5	127.0	91	41.3
N-1709	N-200	3-3/8	85.7	82	37.2


Recommended Load 1,000 Lbs. (4.48 kN) when used in pairs.
3/8" Dia. (9.5 mm) U-Bolt with nuts included.



OFFSET BEAM CLAMP	
CATALOG NUMBER	WEIGHT PER 100
N-1712	72 Lbs (32.7 Kg)

Recommended Load 600 Lbs (2.69 kN) when used in pairs.

1/2"-13 x 1-1/2"
(12.7 x 38.1)
Set Screw Included




Clamp requires: N-3409
Cap Screw & N-2-8 Clamping
Nut (Order Separately)

TWO-HOLE BEAM CLAMP	
CATALOG NUMBER	WEIGHT PER 100
N-1714	106 Lbs (48.0 Kg)

Recommended Load 1000 Lbs (4.48 kN) when used in pairs.


1/2"-13 x 1-1/2"
(12.7 x 38.1)
Set Screw Included



Clamp requires: N-3409
Cap Screw & N-2-8 Clamping
Nut (Order Separately)

ONE-HOLE BEAM CLAMP	
CATALOG NUMBER	WEIGHT PER 100
N-1713	30 Lbs (13.6 Kg)


Recommended Load 600 Lbs (2.69 kN) when used in pairs.



Clamp requires: N-3411
Cap Screw & N-2-8 Clamping
Nut (Order Separately)

LIGHT DUTY BEAM CLAMP	
CATALOG NUMBER	WEIGHT PER 100
N-1715	41 Lbs (18.6 Kg)

Recommended Load 450 Lbs (2.02 kN) when used in pairs.



3/8"-16 x 1-1/2"
(9.5 x 38.1)
Set Screw Included


FITTING DATA: Each fitting 1/4" thick, 1 5/8" wide • Holes 9/16" diameter, centered 1 7/8" apart, 13/16" from edge



HEAVY DUTY BEAM CLAMP

CATALOG NUMBER	WEIGHT PER 100
N-1716	60 Lbs (27.2 Kg)

Recommended Load 1000 Lbs (4.48 kN) when used in pairs.




1/2"-13 x 1-1/2"
(12.7 x 38.1)
Set Screw Included

THICK FLANGE BEAM CLAMP


CATALOG NUMBER	WEIGHT PER 100
N-1717	80 Lbs (36.3 Kg)

Recommended Load 900 Lbs (4.03 kN) when used in pairs.




1/2"-13 x 1-1/2"
(12.7 x 38.1)
Set Screw Included

N-1721 through N-1729



N-1731 through N-1739



BEAM CLAMPS

CATALOG NUMBER	A		T		B		WEIGHT PER 100		LOAD CAPACITY	
	in	mm	in	mm	in	mm	lbs	kg	lbs	kN
N-1721	1/4"-20	6.3	1/8	3.2	3/8 x 1-1/2	9.5 x 38.1	67	30.4	650	2.91
N-1722	5/16"-18	7.9	1/8	3.2	3/8 x 1-1/2	9.5 x 38.1	67	30.4	650	2.91
N-1723	3/8"-16	9.5	1/8	3.2	3/8 x 1-1/2	9.5 x 38.1	67	30.4	650	2.91
N-1724	3/8"-16	9.5	3/16	4.8	1/2 x 1-1/2	12.7 x 38.1	100	45.4	1100	4.93
N-1725	1/2"-13	12.7	3/16	4.8	1/2 x 1-1/2	12.7 x 38.1	100	45.4	1100	4.93
N-1726	1/2"-13	12.7	1/4	6.3	1/2 x 1-1/2	12.7 x 38.1	130	59.0	1600	7.17
N-17237	5/8"-11	15.9	1/4	6.3	1/2 x 1-1/2	12.7 x 38.1	130	59.0	1600	7.17
N-1728	5/8"-11	15.9	5/16	7.9	5/8 x 1-1/2	15.9 x 38.1	160	72.6	2400	10.75
N-1729	3/4"-10	19.0	5/16	7.9	5/8 x 1-1/2	15.9 x 38.1	160	72.6	2400	10.75

BEAM CLAMPS


CATALOG NUMBER	A		T		B		WEIGHT PER 100		LOAD CAPACITY	
	in	mm	in	mm	in	mm	lbs	kg	lbs	kN
N-1731	1/4"-20	6.3	1/8	3.2	3/8 x 2	9.5 x 50.8	105	47.6	800	3.58
N-1732	5/16"-18	7.9	1/8	3.2	3/8 x 2	9.5 x 50.8	105	47.6	800	3.58
N-1733	3/8"-16	9.5	1/8	3.2	3/8 x 2	9.5 x 50.8	105	47.6	800	3.58
N-1734	3/8"-16	9.5	3/16	4.8	1/2 x 2	12.7 x 50.8	160	72.6	1300	5.82
N-1735	1/2"-13	12.7	3/16	4.8	1/2 x 2	12.7 x 50.8	160	72.6	1300	5.82
N-1736	1/2"-13	12.7	1/4	6.3	1/2 x 2	12.7 x 50.8	200	90.7	1900	8.51
N-1737	5/8"-11	15.9	1/4	6.3	1/2 x 2	12.7 x 50.8	200	90.7	1900	8.51
N-1738	5/8"-11	15.9	5/16	7.9	5/8 x 2	15.9 x 50.8	250	113.5	2800	12.54
N-1739	3/4"-10	19.0	5/16	7.9	5/8 x 2	15.9 x 50.8	250	113.5	2800	12.54

FITTING DATA: Each fitting 1/4" thick, 1 5/8" wide • Holes 9/16" diameter, centered 1 7/8" apart, 13/16" from edge


PRODUCTS WITH INTEGRITY



STEEL C-CLAMP				
CATALOG NUMBER	ROD SIZE "A"		WEIGHT PER 100	
	in	mm	lbs	kg
N-1741	3/8	9.5	50	22.7
N-1742	1/2	12.7	55	25.0
N-1743	5/8	15.9	64	29.1




BEAM CLAMP	
CATALOG NUMBER	WEIGHT PER 100
N-1750	33 Lbs (15.0 Kg)




3/8" (9.5) Set Screw Included

SWIVEL HANGER	
CATALOG NUMBER	WEIGHT PER 100
N-1751	17 Lbs (7.7 Kg)




1 J" BOLTS				
CATALOG NUMBER	SIZE		WEIGHT PER 100	
	in	mm	lbs	kg
N-1755	6	152.4	13	5.9
N-1756	10	254.0	15	6.8



COLUMN SUPPORT	
CATALOG NUMBER	WEIGHT PER 100
N-1760	54 Lbs (24.5 Kg)

Recommended Load 785 Lbs (3.52 kN) when used in pairs.



Use with N-200 channel

FITTING DATA: Each fitting 1/4" thick, 1 5/8" wide • Holes 9/16" diameter, centered 1 7/8" apart, 13/16" from edge

PRODUCTS WITH INTEGRITY